

**ENGINE OIL**

\*\* 1 QT pack available in April 2023

| VISCOSITY PRODUCTS FOR NEW HOLLAND                                    |                    |          | VISCOSITY REPLACEMENT PRODUCTS |          |                                                                             | CNHI CURRENT PRODUCTS                                  |          |          |
|-----------------------------------------------------------------------|--------------------|----------|--------------------------------|----------|-----------------------------------------------------------------------------|--------------------------------------------------------|----------|----------|
| DESCRIPTION                                                           | SIZE               | PART.NO  | PART.NO                        | SIZE     | DESCRIPTION                                                                 | DESCRIPTION                                            | SIZE     | PART.NO  |
| <b>Unitek™ Mastergold™ No.1 Engine™ Oil SSL (Synthetic) SAE 0W-40</b> | 1 Gal / 3.79 L     | 73343747 | 74631J3YUS                     | 3x1G     | <b>VISCOSITY UNITEK™ 5000 Diesel Engine Oil Synthetic 0W-40 CK-4</b>        | <b>0W-40</b>                                           |          |          |
|                                                                       | 2.5 Gal / 9.46 L   | 73342382 | 74631NPYUS                     | 2x2.5G   |                                                                             |                                                        | 2.5 Gal  | 73344243 |
| <b>Unitek™ Mastergold™ Engine Oil SBL SAE 10W-40</b>                  | 1 Gal / 3.79 L     | 73342373 | 74643JXYUS                     | 3x1G     | <b>VISCOSITY UNITEK™ 3000K Diesel Engine Oil Semi Synthetic 10W-40 CK-4</b> | <b>No.1 Engine Oil™ SAE 10W-40 CK-4 Semi-Synthetic</b> | 1 Gal    | 73344221 |
|                                                                       | 2.5 Gal / 9.46 L   | 73342374 | 74643NXYUS                     | 2x2.5G   |                                                                             |                                                        | 2.5 Gal  | 73344222 |
|                                                                       | 5 Gal / 18.93 L    | 73342375 | 74643QYIUS                     | 1x5G     |                                                                             |                                                        | 5 Gal    | 73344223 |
|                                                                       | 55 Gal / 208.2 L   | 73342376 | 746434ZIUS                     | 1x55G    |                                                                             |                                                        | 55 Gal   | 73344224 |
|                                                                       | 330 Gal / 1249.2 L | 73342377 | 746439J1US                     | 1x330G   |                                                                             |                                                        | 257 Gal  | 73344225 |
|                                                                       | Bulk (1 Gal)       | 73342378 | 74643001US                     | Bulk(G)  |                                                                             |                                                        | Bulk (G) | 73344229 |
|                                                                       | Bulk (1 L)         | 73342379 | 74643001US                     | Bulk(L)  |                                                                             |                                                        |          |          |
| <b>Mastergold™ Engine Oil SAE 15W-40</b>                              |                    |          | 74645DX6US                     | 12x1QT** | <b>VISCOSITY UNITEK™ 3000LS Diesel Engine Oil 15W-40 CK-4</b>               | <b>No.1 Engine Oil™ SAE 15W-40 CK-4</b>                | 1 QT     | 73344231 |
|                                                                       | 1 Gal / 3.79 L     | 73341750 | 74645JXYUS                     | 3x1G     |                                                                             |                                                        | 1 Gal    | 73344232 |
|                                                                       | 2.5 Gal / 9.46 L   | 73341751 | 74645NXYUS                     | 2x2.5G   |                                                                             |                                                        | 2.5 Gal  | 73344233 |
|                                                                       | 5 Gal / 18.93 L    | 73341752 | 74645QYIUS                     | 1x5G     |                                                                             |                                                        | 5 Gal    | 73344234 |
|                                                                       | 55 Gal / 208.2 L   | 73341754 | 746454ZIUS                     | 1x55G    |                                                                             |                                                        | 55 Gal   | 73344235 |
|                                                                       | 330 Gal / 1249.2 L | 73341755 | 746459J1US                     | 1x330G   |                                                                             |                                                        | 257 Gal  | 73344236 |
|                                                                       | Bulk (1 Gal)       | 73341756 | 74645001US                     | Bulk(G)  |                                                                             |                                                        | Bulk (G) | 73344237 |
| <b>Mastergold™ Engine Oil SAE 10W-30</b>                              |                    |          | 74645001US                     | Bulk (L) | <b>VISCOSITY UNITEK™ 3000K Diesel Engine Oil Semi Synthetic 10W-30 CK-4</b> | <b>No.1 Engine Oil™ SAE 10W-30 CK-4</b>                |          |          |
|                                                                       | 1 Qt / .95 L       | 73341709 | 74644DX6US                     | 12x1QT   |                                                                             |                                                        | 1 QT     | 73344209 |
|                                                                       | 1 Gal / 3.79 L     | 73341761 | 74644JXYUS                     | 3x1G     |                                                                             |                                                        | 1 Gal    | 73344210 |
|                                                                       | 2.5 Gal / 9.46 L   | 73341762 | 74644NXYUS                     | 2x2.5G   |                                                                             |                                                        | 2.5 Gal  | 73344211 |
|                                                                       | 5 Gal / 18.93 L    | 73341763 | 74644QYIUS                     | 1x5G     |                                                                             |                                                        | 5 Gal    | 73344212 |
|                                                                       | 55 Gal / 208.2 L   | 73341765 | 746444ZIUS                     | 1x55G    |                                                                             |                                                        | 55 Gal   | 73344213 |
|                                                                       |                    |          | 746449J1US                     | 1x330G   |                                                                             |                                                        | 257 Gal  | 73344214 |
| <b>Engine Oil SAE 30</b>                                              |                    |          | 74644001US                     | Bulk(G)  | <b>VISCOSITY UNITEK™ MG Diesel Engine Oil SAE 30</b>                        | <b>SAE 30</b>                                          | Bulk (G) | 73344215 |
|                                                                       | 1 Qt / .95 L       | 407352R5 | 74644001US                     | Bulk(L)  |                                                                             |                                                        |          |          |
|                                                                       | 1 Gal / 3.79 L     | 139032A2 | 74633DX6US                     | 12x1QT   |                                                                             |                                                        | 1 QT     | 73344257 |
|                                                                       | 5 Gal / 18.93 L    | 407356R5 | 74633J3YUS                     | 3x1G     |                                                                             |                                                        | 1 Gal    | 73344258 |
|                                                                       | 55 Gal / 208.2 L   | 407362R5 | 74633PQ1US                     | 1x5G     |                                                                             |                                                        | 5 Gal    | 73344260 |
|                                                                       |                    |          | 746334ZIUS                     | 1x55G    |                                                                             |                                                        | 55 Gal   | 73344261 |

**HYDRAULIC / TRANSMISSION FLUID**

| VISCOSITY PRODUCTS FOR NEW HOLLAND                     |                    |           | VISCOSITY REPLACEMENT PRODUCTS |         |                                                       | CNHI CURRENT PRODUCTS                                                |          |          |
|--------------------------------------------------------|--------------------|-----------|--------------------------------|---------|-------------------------------------------------------|----------------------------------------------------------------------|----------|----------|
| DESCRIPTION                                            | SIZE               | PART.NO   | PART.NO                        | SIZE    | DESCRIPTION                                           | DESCRIPTION                                                          | SIZE     | PART.NO  |
| <b>Mastertran™ Ultraction™ SSL (Synthetic)</b>         | 5 Gal / 18.93 L    | 73341780  | 77464PQ1US                     | 1x5G    | <b>VISCOSITY ULTRACTION™ SSL Full Synthetic</b>       | <b>Hydraulic Trans Oil - Premium synthetic MAT Spec Approved</b>     | 5 Gal    | 73344275 |
|                                                        | 30 Gal / 113.58 L  | 73341731  | 774644ZIUS                     | 1x55G   |                                                       |                                                                      | 55 Gal   | 73344276 |
| <b>Mastertran™ Ultraction™</b>                         |                    |           | 76910JX2US                     | 3x1G    | <b>VISCOSITY ULTRACTION™ Original THF SS</b>          | <b>Hy-Tran® Premium Hydraulic Transmission Oil MAT Spec Approved</b> | 1 Gal    | 73344265 |
|                                                        | 2.5 Gal / 9.46 L   | 73341773  | 77400NPYUS                     | 2x2.5G  |                                                       |                                                                      | 2.5 Gal  | 73344266 |
|                                                        | 5 Gal / 18.93 L    | 73341774  | 77400PYIUS                     | 1x5G    |                                                       |                                                                      | 5 Gal    | 73344267 |
|                                                        | 55 Gal / 208.2 L   | 73341776  | 774004ZIUS                     | 1x55G   |                                                       |                                                                      | 55 Gal   | 73344268 |
|                                                        | 330 Gal / 1249.2 L | 73341777  | 774009J1US                     | 1x330G  |                                                       |                                                                      | 257 Gal  | 73344269 |
|                                                        | Bulk (1 Gal)       | 73341778  | 77400001US                     | Bulk(G) |                                                       |                                                                      | Bulk (G) | 73344270 |
|                                                        | Bulk (1 L)         | 73341779  | 77400001US                     | Bulk(L) |                                                       |                                                                      |          |          |
| <b>Multi-G 134</b>                                     |                    |           | 77462JX2US                     | 3x1G    | <b>VISCOSITY MULTI G Transmission Hydraulic Fluid</b> | <b>Multi Grade 134</b>                                               |          |          |
|                                                        | 2.5 Gal / 9.46 L   | 9624450   | 77462NPYUS                     | 2x2.5G  |                                                       |                                                                      | 2.5 Gal  | 73344280 |
|                                                        | 5 Gal / 18.93 L    | 9624451   | 77462PQ1US                     | 1x5G    |                                                       |                                                                      | 5 Gal    | 73344281 |
|                                                        | 55 Gal / 208.2 L   | 9624452   | 774624ZIUS                     | 1x55G   |                                                       |                                                                      | 55 Gal   | 73344283 |
|                                                        |                    |           | 774629J1US                     | 1x330G  |                                                       |                                                                      | 257 Gal  | 73344284 |
|                                                        | Bulk (1 Gal)       | 9624657DS | 77462001US                     | Bulk(G) |                                                       |                                                                      | Bulk (G) | 73344414 |
|                                                        | Bulk (1 L)         | B505687   | 77462001US                     | Bulk(L) |                                                       |                                                                      |          |          |
| <b>F200A Multi-Season Hydraulic / Transmission Oil</b> |                    |           | 77400JX2US                     | 3x1G    | <b>VISCOSITY UNITRACTION™ THF SS</b>                  |                                                                      |          |          |
|                                                        |                    |           | 76910NXYUS                     | 2x2.5G  |                                                       |                                                                      |          |          |
|                                                        |                    |           | 76910QYIUS                     | 1x5G    |                                                       |                                                                      |          |          |
|                                                        |                    |           | 769104ZIUS                     | 1x55G   |                                                       |                                                                      |          |          |
|                                                        |                    |           | 769109J1US                     | 1x330G  |                                                       |                                                                      |          |          |
|                                                        |                    |           | 76910001US                     | Bulk(G) |                                                       |                                                                      |          |          |
|                                                        |                    |           | 76910001US                     | Bulk(L) |                                                       |                                                                      |          |          |
| <b>TCH Fluid</b>                                       |                    |           | 77399JX2US                     | 3x1G    | <b>VISCOSITY UNITRACTION™ COOL THF SS</b>             |                                                                      |          |          |
|                                                        |                    |           | 77399NPYUS                     | 2x2.5G  |                                                       |                                                                      |          |          |
|                                                        | 5 Gal / 18.93 L    | B17805    | 77399PYIUS                     | 1x5G    |                                                       |                                                                      |          |          |
|                                                        |                    |           | 773994ZIUS                     | 1x55G   |                                                       |                                                                      |          |          |

**HYDRAULIC FLUID**

| VISCOSITY PRODUCTS FOR NEW HOLLAND                   |                  |          | VISCOSITY REPLACEMENT PRODUCTS |        |                                                                  | CNHI CURRENT PRODUCTS                             |        |          |
|------------------------------------------------------|------------------|----------|--------------------------------|--------|------------------------------------------------------------------|---------------------------------------------------|--------|----------|
| DESCRIPTION                                          | SIZE             | PART.NO  | PART.NO                        | SIZE   | DESCRIPTION                                                      | DESCRIPTION                                       | SIZE   | PART.NO  |
| <b>Hydrosystem Anti-wear (AW) 46 Hydraulic Fluid</b> |                  |          | 76900QY1US                     | 1x5G   | <b>VISCOSITY TUTELA™ Hydraulic Fluid 32</b>                      | <b>Premium Hydraulic Oil HM 46 AW</b>             |        |          |
|                                                      | 5 Gal / 18.93 L  | 116799A2 | 76902NXYUS                     | 2x2.5G | <b>VISCOSITY TUTELA™ Hydraulic Fluid 46</b>                      |                                                   | 5 Gal  | 73344331 |
|                                                      | 55 Gal / 208.2 L | 87299123 | 76902QY1US                     | 1x5G   |                                                                  |                                                   | 55 Gal | 73344332 |
| <b>Hydrosystem Anti-wear (AW) 68 Hydraulic Fluid</b> | 5 Gal / 18.93 L  | 87299897 | 769024Z1US                     | 1x55G  | <b>VISCOSITY TUTELA™ Hydraulic Fluid 68</b>                      | <b>Premium Hydraulic Oil HM 68 AW</b>             | 5 Gal  | 73344333 |
| <b>Hydraulic Excavator Fluid</b>                     | 1 Gal / 3.79 L   | B67300   | 76904QY1US                     | 1x5G   | <b>VISCOSITY TUTELA™ PREMIUM Hydraulic Fluid 46 HV Xtra Duty</b> | <b>Premium Hydraulic Oil HV 46 Multi-grade AW</b> | 1 Gal  | 73344327 |
|                                                      | 5 Gal / 18.93 L  | B67301   | 77352NXYUS                     | 2x2.5G |                                                                  |                                                   | 5 Gal  | 73344328 |
|                                                      | 55 Gal / 208.2 L | B67302   | 76894QY1US                     | 1x5G   |                                                                  |                                                   | 55 Gal | 73344329 |
|                                                      |                  |          | 768944Z1US                     | 1x55G  |                                                                  |                                                   |        |          |
|                                                      |                  |          | 768949J1US                     | 1x330G |                                                                  | <b>Premium Hydraulic Oil HV 68 Multi-grade AW</b> | 5 Gal  | 73344326 |
|                                                      |                  |          | 81132QY1US                     | 1x330G | <b>VISCOSITY TUTELA™ HYDRAULIC 68 HV</b>                         |                                                   |        |          |

**TRANSMISSION FLUID / GEAR LUBE**

| VISCOSITY PRODUCTS FOR NEW HOLLAND         |                  |          | VISCOSITY REPLACEMENT PRODUCTS |        |                                                      | CNHI CURRENT PRODUCTS                           |         |          |
|--------------------------------------------|------------------|----------|--------------------------------|--------|------------------------------------------------------|-------------------------------------------------|---------|----------|
| DESCRIPTION                                | SIZE             | PART.NO  | PART.NO                        | SIZE   | DESCRIPTION                                          | DESCRIPTION                                     | SIZE    | PART.NO  |
| <b>Transaxle Fluid SAE 80W-140</b>         | 5 Gal / 18.93 L  | B17778   | 77356QY1US                     | 1x5G   | <b>VISCOSITY TUTELA™ Transaxle Fluid SAE 80W-140</b> | <b>Premium Transaxle Oil 80W-140</b>            | 5 Gal   | 73344324 |
| <b>Hypoid 90 EP Gear Lube SAE 80W-90</b>   | 1 Qt / .95 L     | B80901   | 76927DX6US                     | 12x1QT | <b>VISCOSITY TUTELA™ Gear Oil SAE 80W-90</b>         | <b>Hypoid Gear Oil EP SAE 80W-90</b>            | 1 QT    | 73344310 |
|                                            | 1 Gal / 3.79 L   | B80902   | 76927JXYUS                     | 3x1G   |                                                      |                                                 | 1 Gal   | 73344311 |
|                                            | 2.5 Gal / 9.46 L | B80903   | 76927NXYUS                     | 2x2.5G |                                                      |                                                 | 2.5 Gal | 73344312 |
|                                            | 5 Gal / 18.93 L  | B80904   | 76927QY1US                     | 1x5G   |                                                      |                                                 | 5 Gal   | 73344313 |
|                                            | 55 Gal / 208.2 L | B80907   | 769274Z1US                     | 1x55G  |                                                      |                                                 | 55 Gal  | 73344314 |
| <b>Hypoid 140 EP Gear Lube SAE 85W-140</b> | 1 Qt / .95 L     | B85141   | 76935DX6US                     | 12x1QT | <b>VISCOSITY TUTELA™ Gear Oil SAE 85W-140</b>        | <b>Hypoid Premium Gear Oil EP 85W-140</b>       | 2.5 Gal | B85141   |
|                                            | 1 Gal / 3.79 L   | B85142   | 76935JXYUS                     | 3x1G   |                                                      |                                                 | 2.5 Gal | B85142   |
|                                            | 2.5 Gal / 9.46 L | B85143   | 76935NXYUS                     | 2x2.5G |                                                      |                                                 | 2.5 Gal | B85143   |
|                                            | 5 Gal / 18.93 L  | B85144   | 76935QY1US                     | 1x5G   |                                                      |                                                 | 5 Gal   | B85144   |
|                                            | 55 Gal / 208.2 L | B85146   | 769354Z1US                     | 1x55G  |                                                      |                                                 | 55 Gal  | B85146   |
| <b>Hypoid SSL Gear Lube SAE 75W-90</b>     | 1 Qt / .95 L     | 87299775 | 76921DX6US                     | 12x1QT | <b>VISCOSITY TUTELA™ Gear Oil SAE 75W-90 SSL</b>     | <b>Hypoid Synthetic Gear Oil EP SAE 75W-90</b>  | 1 QT    | 87299775 |
|                                            | 5 Gal / 18.93 L  | 87299136 | 76921QY1US                     | 1x5G   |                                                      |                                                 | 1 Gal   | 87299136 |
| <b>Hypoid SSL Gear Lube SAE 80W-140</b>    | 1 Qt / .95 L     | 87299904 | 81007DX6US                     | 12x1QT | <b>VISCOSITY TUTELA™ Gear Oil SAE 80W-140 SSL</b>    | <b>Hypoid Synthetic Gear Oil EP SAE 80W-140</b> | 1 QT    | 73344321 |
|                                            | 5 Gal / 18.93 L  | 87299943 | 81007QY1US                     | 1x5G   |                                                      |                                                 | 1 Gal   | 73344322 |
| <b>Powershift HD SAE 10</b>                | 5 Gal / 18.93 L  | 73343750 | 77401PY1US                     | 1x5G   | <b>VISCOSITY TERRATRACTION™ SAE 10W</b>              |                                                 |         |          |
|                                            | 55 Gal / 208.2 L | 73343751 | 774014Z1US                     | 1x55G  |                                                      |                                                 |         |          |
| <b>Powershift HD SAE 30</b>                | 5 Gal / 18.93 L  | 73343752 | 77404PY1US                     | 1x5 G  | <b>VISCOSITY TERRATRACTION™ SAE 30</b>               |                                                 |         |          |
|                                            | 55 Gal / 208.2 L | 73343753 | 774044Z1US                     | 1x55G  |                                                      |                                                 |         |          |
|                                            |                  |          | 77403JXYUS                     | 3x1G   | <b>VISCOSITY TERRATRACTION™ SAE 50</b>               |                                                 |         |          |
|                                            |                  |          | 77403PY1US                     | 1x5G   |                                                      |                                                 |         |          |
|                                            |                  |          | 774034Z1US                     | 1x55G  |                                                      |                                                 |         |          |
| <b>Hydrex 3 ATF</b>                        | 2.5 Gal / 9.46 L | 87299134 | 76538NYYUS                     | 2x2.5G | <b>VISCOSITY TUTELA™ ATF Dexron III</b>              |                                                 |         |          |

**GREASE**

| VISCOSITY PRODUCTS FOR NEW HOLLAND  |            |           | VISCOSITY REPLACEMENT PRODUCTS |          |                                                   | CNHI CURRENT PRODUCTS                           |               |          |
|-------------------------------------|------------|-----------|--------------------------------|----------|---------------------------------------------------|-------------------------------------------------|---------------|----------|
| DESCRIPTION                         | SIZE       | PART.NO   | PART.NO                        | SIZE     | DESCRIPTION                                       | DESCRIPTION                                     | SIZE          | PART.NO  |
| <b>GR-9 Multi-Purpose Grease</b>    | Tube/14 oz | 9613310   | 77014BUYUS                     | 50x14oz  | <b>VISCOSITY TUTELA™ Grease Lithium</b>           | <b>Multi-purpose Grease</b>                     | Tube/ 14 oz   | 73344394 |
| <b>Hi-Temp EP Grease</b>            | Tube/14 oz | 9861804DS | 76988BUYUS                     | 50x14oz  | <b>VISCOSITY TUTELA™ Grease Lithium Complex</b>   | <b>Hi-Temp Grease</b>                           | Tube/ 13.9 oz | 73344356 |
| <b>Moly Grease GR-75</b>            | Tube/14 oz | 73340211  | 77037BUYUS                     | 50x14oz  | <b>VISCOSITY TUTELA™ Grease Moly</b>              | <b>Multi-Purpose Moly Grease EP AW / NLGI 2</b> | Tube/ 14 oz   | 73344351 |
| <b>Synthetic Grease GR-1000 SSL</b> | Tube/14 oz | 87299163  | 77355BUYUS                     | 50x14oz  | <b>VISCOSITY TUTELA™ Calcium Sulfonate Grease</b> | <b>Synthetic Grease GR1000 SSL</b>              | Tube/ 14 oz   | 73344354 |
| <b>Cotton Picker Bar Lube</b>       | 400 Lb     | 407517R1  | 773534Z1US                     | 1x400Lbs | <b>VISCOSITY TUTELA™ Cotton Picker Bar Lube</b>   | <b>Cotton Picker Spindle Grease</b>             | 400 Lb        | 73344346 |
| <b>Hi-Speed Spindle Cleaner</b>     | 5 Gal      | B91241V   | 77357QY1US<br>77357QY1CA       | 1x5G     | <b>VISCOSITY TUTELA™ Cotton Picker Bar Lube</b>   | <b>Hi-Speed Spindle Cleaner</b>                 | 5 Gal         | 73344337 |
|                                     |            |           | 773574Z1US                     | 1x55G    |                                                   |                                                 |               |          |
| <b>DuraFit™ Spindle Grease</b>      | 400 Lb     | B500420   | 773534Z1US                     | 1x400Lbs | <b>VISCOSITY TUTELA™ Cotton Picker Bar Lube</b>   | <b>Cotton Picker Spindle Grease</b>             | 400 Lb        | 73344346 |
| <b>Corn Head Grease</b>             | Tube/14 oz | B95920    | 77354BUYUS                     | 30x14oz  | <b>VISCOSITY TUTELA™ Corn Head EP Grease</b>      | <b>Multi-Purpose Grease Corn Head</b>           | 39.6 Lb       | 73344355 |
|                                     |            |           | 77355BUYUS                     | 50x14oz  | <b>VISCOSITY TUTELA™ Polyurea Grease</b>          |                                                 |               |          |

**COOLANT**
**VISCOSITY PRODUCTS FOR NEW HOLLAND**

| DESCRIPTION                                              | SIZE             | PART.NO  |
|----------------------------------------------------------|------------------|----------|
| <b>Actifull™ OT Extended-Life Coolant Concentrate</b>    | 1 Gal / 3.79 L   | 73341785 |
| <b>Actifull™ OT Extended-Life Coolant 50 / 50 Premix</b> | 1 Gal / 3.79 L   | 73341788 |
|                                                          | 2.5 Gal / 9.46 L | 73341789 |
|                                                          | 55 Gal / 208.2 L | 73343751 |

**VISCOSITY REPLACEMENT PRODUCTS**

| PART.NO                  | SIZE   | DESCRIPTION                                                 |
|--------------------------|--------|-------------------------------------------------------------|
| 76974JXYUS<br>76974JXYCA | 3x1G   | <b>VISCOSITY ACTIFULL™ OT Coolant Organic Concentrate</b>   |
| 76983JXYUS<br>76983JXYCA | 3x1G   | <b>VISCOSITY ACTIFULL™ Coolant Conventional Concentrate</b> |
| 76971JXYUS<br>76971JXYCA | 3x1G   | <b>VISCOSITY ACTIFULL™ OT Coolant Organic Premix</b>        |
| 76971NXYUS<br>76971NXYCA | 2x2.5G |                                                             |
| 769714ZIUS<br>769714ZICA | 1x55G  |                                                             |
| 76980JXYUS<br>76980JXYCA | 3x1G   | <b>VISCOSITY ACTIFULL™ Coolant Conventional Premix</b>      |
| 76980NXYUS<br>76980NXYCA | 2x2.5G |                                                             |
| 769804ZIUS<br>769804ZICA | 1x55G  |                                                             |
| 76971JXYUS<br>76971JXYCA | 3x1G   | <b>VISCOSITY ACTIFULL™ OT Coolant Hybrid Premix</b>         |
| 76971NXYUS<br>76971NXYCA | 2x2.5G |                                                             |
| 769714ZIUS               | 1x55G  |                                                             |

**CNHI CURRENT PRODUCTS**

| DESCRIPTION                                                          | SIZE    | PART.NO  |
|----------------------------------------------------------------------|---------|----------|
| <b>Extended Life OAT Coolant-Antifreeze Concentrate</b>              | 1 Gal   | 73344306 |
| <b>Extended Life OAT Coolant/Antifreeze - Premix 50/50</b>           | 1 Gal   | 73344307 |
|                                                                      | 2.5 Gal | 73344308 |
|                                                                      | 55 Gal  | 73344305 |
| <b>IAT Coolant II - Classic Premix Ethylene Glycol (EG) MAT 3720</b> | 1 Gal   | 73344409 |
|                                                                      | 2.5 Gal | 73344410 |
|                                                                      | 55 Gal  | 73344411 |
|                                                                      | 257 Gal | 73344412 |

**OTHER**
**VISCOSITY PRODUCTS FOR NEW HOLLAND**

| DESCRIPTION               | SIZE       | PART.NO    |
|---------------------------|------------|------------|
| <b>DURANCE DIESEL ART</b> | 30/ 250 mL | 76580BX8US |

**VISCOSITY REPLACEMENT PRODUCTS**

| PART.NO                  | SIZE  | DESCRIPTION                                           |
|--------------------------|-------|-------------------------------------------------------|
| 77359DX3US<br>77359DX3CA | 1x6QT | <b>VISCOSITY TUTELA™ Diesel Fuel Winter Treatment</b> |
| 77360DX3US<br>77360DX3CA | 1x6QT | <b>VISCOSITY TUTELA™ Diesel Fuel System Cleaner</b>   |

# KEEPING WORK IN FLUID MOTION

**VISCOSITY OIL COMPANY**

600 Joliet Road, Suite H  
Willowbrook, Illinois 60527, USA  
1.630.850.4000

[www.viscosityoil.com](http://www.viscosityoil.com)



FOLLOW US



@VISCOSITYOIL



@VISCOSITYOILCOMPANY